UIDAI/HQ/D11018/67/2018/01 UNIQUE IDENTIFICATION AUTHORITY OF INDIA

UIDAI HQ Building, Bangla Sahib Road, New Delhi – 110001

Dated: 09.07.2020

<u>E-Tender – In Two Bid System</u> (from DoT authorized supplier/manufacturer)

E-Tender For: VHF Set and Walkie-Talkies alongwith accessories and SITC

(Supply, Installation, Testing and Commissioning)

Ref. No. : **UIDAI/HQ/D11018/67/2018/01**

Unique Identification Authority of India invites online bids on behalf of Chief Executive Officer (CEO) for procurement of "VHF Set and Walkie-Talkies alongwith accessories and SITC (Supply, Installation, Testing and Commissioning)" through Central Public Procurement Portal (www.eprocure.gov.in) from eligible supplier/contractors having valid authorization letter from Department of Telecommunication and work experience in the relevant field. The Bid is also available on official website of UIDAI (www.uidai.gov.in). The important dates of the Bid submission are as under:

	Date of Online	10.07.2020	
1.	Publication		
	Start and End Date &	10.07.2020, 15:00 Hrs. upto 31.07.2020, 15:30	
2.	Time for downloading E-	Hrs.	
	Tender		
3.	Start and End Date &	10.07.2020, 15:00 Hrs. upto 31.07.2020, 15:30	
3.	Time for Bid Submission	Hrs.	
4.	Bid Validity	120 Days from the date of bid opening	
5.	Date & Time of	03.08.2020, 16:00 Hrs.	
3.	Technical bid opening		
	No Tender Fee & EMD required with the Bid		
	(Bid Security Declar	aration to be submitted by the Bidder)	

Important Note: Prospective Bidders are requested to remain updated for any notices/ amendments/clarifications, etc. to the Tender Document through the websites www.uidai.gov.in/www.eprocure.gov.in. No separate notifications will be issued for such notices/amendments/ clarifications, etc. in the print media or individually.

For any query/clarification, send mail to **ved.tyagi@uidai.net.in**, mohit.goyal@nic.in

(Ved Parkash Tyagi) Dy. Director (Admin.) Ph.no.23478556

Unique Identification Authority of India Ministry of Electronics & Information Technology

No. UIDAI/HQ/D11018/67/2018/01

Sub: Tender for procurement of "VHF Set and Walkie-Talkies alongwith accessories and SITC (Supply, Installation, Testing and Commissioning)"

Unique Identification Authority of India invites online bids on behalf of Chief Executive Officer (CEO) for procurement of "VHF Set and Walkie-Talkies alongwith accessories and SITC (Supply, Installation, Testing and Commissioning)" through Central Public Procurement Portal (https://eprocure.gov.in/eprocure/app) supplier/contractors having valid authorization letter from Department of Telecommunication and work experience in the relevant field. The Bid is also available of official website of UIDAI (www.uidai.gov.in)

1. Terms & Conditions:-

- 1.1. Intending bidders should have executed similar supply/work successfully in Central or State Government/Central or State Government Undertaking/Central or State Government Autonomous Body/Reputed Private Organizations during last 2 years. The bidders should produce self attested proof/evidence such as Purchase Order/Work Order/Payment particulars/Satisfactory performance certificate issued from the competent authority.
- 1.2. The prospective bidders should have an Establishment/Main Office/Branch Office in Delhi/NCR.
- 1.3. The contract will be awarded to the bidder quoting the overall lowest price. The contract is subject to submission of Performance Bank Guarantee (PBG) to the tune of 5% of Annual Contractual value with validity of 60 days beyond the contractual period.
- 1.4. No Tools, Plant etc shall be issued by UIDAI HQ.
- 1.5. The bidders and their labourers should be aware about guidelines and norms regarding preservation of building. Any consequent loss done to the building shall be made good on the risk & cost of the Supplier/Contractor.
- 1.6. The supply/work is to be supplied/carried out at very sensitive & highly prestigious site. Hence, the quality of work done and competence of the staff deployed should be in accordance with the high status of the site.
- 1.7. The building is guarded by CISF security where entry passes are required to be issued. The supplier/contractor has to follow all the prevailing security practices while working in the premises. Nothing extra shall be paid on account of labour wastage, as the work will be done in secured area.
- 1.8. The supplier/contractor shall employ reliable person bearing good moral character responsible for the overall work/arrangement.

- 1.9. The supplier/contractor will take power supply tapping from the existing panel of the Building and electricity will be supplied free of cost for the testing/work.
- 1.10. The supplier/contractor at his own cost should make good the damage done to the building/electrical installations during execution & maintenance of the work.
- 1.11. All material should be in good condition (electrically, mechanically and apparently).
- 1.12. The supplier/contractor shall take all safety/precautionary measures like providing life safety belts, helmets, gloves, ropes, insulation etc. required for the deployed workers for execution of the work. In case of any accident happened during the execution of work, the supplier/contractor shall be fully responsible for the same and any payment/compensation to the concerned worker shall be made by the supplier/contractor. No claim in respect of any accident/loss of life etc. shall be entertained by UIDAI HQ. The successful supplier/contractor would be required to furnish an Undertaking with effect to above before execution of work.
- 1.13. All bidders are requested to visit the UIDAI HQ site and assess the quantum of work required thereof.
- 1.14. Complying with the legal rules and regulations of the State Government and Central Government governing the work order would be the sole responsibility of the supplier/contractor.
- 1.15. Payment shall be made electronically after successful completion of work including clearance of site.
- 1.16. UIDAI HQ reserves the right to accept/reject any bid/all bids without assigning any reason.
- 1.17. Indexing of all the documents to be done in a chronological order ensuring that all requisite/related documents are attached.

2.0 Bid Submission:

- 2.1 The interest bidder/s shall upload their bids (complete in all respect) on https://eprocure.gov.in/eprocure/app in two packets i.e. Two bids (technical bid and financial bid) system.
- 2.2 The bid shall be submitted online in Packet-1 and Packet -2 detailed as under:
 - a. Packet 1:- (Technical Bid)
 - Requisite Documents as per bid.
 - b. Packet 2:- (Financial Bid)
 - Schedule of price bid as per BOQ attached
- 2.3 **Technical Bid**: The bidder/s irrespective of nature of content of the documents must number all the pages of the bid sequentially before uploading. All the scanned files/documents as mentioned

should be in *.PDF format except for the BoQ which should be *.xls format.

- 2.4 **Financial Bid:** Financial Bid as per BOQ attached.
- 2.5 The Bidder shall prepare the bid based on details provided in the Bid documents. Bidder shall meet all the requirements of the Bid document.
- 2.6 Bids shall remain valid for 180 days after the last date of bid submission mentioned in the bid. A bid valid for a shorter period may be rejected by the UIDAI because of non-responsive.
- 2.7 In exceptional circumstances, the UIDAI may ask the Bidder to extend the validity of the Bid, if required.
- 2.8 The Bidder/vendor should qualify the eligibility conditions, shall submit the authenticated documents duly signed and any additional documents, if required.
- 2.9 Submission of Bids will signify the acceptance of all terms and conditions of the contract as mentioned in the bid/annexure(s).
- 2.10 The Bid Document is not transferable.

2.11 Bid Rejection:

- a. Tenders not accompanying required information and documents are liable to be rejected.
- b. In case, the Bidder has not met the eligibility criteria.
- c. Conditional offers, if any, will be summarily rejected
- d. Canvassing in any form.

3.0 Bid evaluation/Award of work:

- 3.1 The Bids will be opened as per schedule mentioned in the bid and after opening of the Technical bids online, results of qualified bidders as well as opening of Price/Financial Bid will be intimated online through CPP Portal.
- 3.2 Evaluation of the bid will be online and offline both, and comments of the offline committee will be uploaded as per the online process.
- 3.3 The lowest quoted price (L1) among the technically qualified bids on acceptance of UIDAI, will be awarded the work.
- 3.4 The successful bidder/vendor will have to deposit Security-cum-Performance Guarantees (PBGs) of 5% of the contract value with validity of 60 days beyond the contract period of two years in the form of Bank Draft/Pay Order /Banker's cheque from any Commercial Bank in favor of "DDO UIDAI HQ" payable at New Delhi.
- 3.5 The successful bidder has to submit his/her acceptance and PBG within <u>10 days</u> on the receipt award letter. The successful bidder will sign a contract within a week time after verification of PBG from the respective Bank.
- 3.6 PBG is returnable on successful completion of the contract period without interest. The security amount will be forfeited in case the services of the supplier/contractor are found unsatisfactory

or in case of violation of the terms and conditions of the contract.

- 3.7 UIDAI, Headquarter reserves the right to reject/any/all bid(s) without assigning any reasons whatsoever at any stage of tendering. Canvassing in any form will be considered as disqualification from award of contract.
- 3.8 UIDAI shall issue purchase/ supply order as per the requirement and supplier would supply within Ten working days on receipt of the PO.

4.0 Payment Terms:

- **4.1** The UIDAI shall pay the agreed amount on production of original bills after SITC of the product in question. No other charges of any kind shall be payable.
- 4.2 No Payment shall be made in advance to neither the supplier/contractor nor any loan from any bank or financial institution is recommended based on work award.
- 4.3 Payment will be processed only after confirmation of PBG from the issuing bank.
- 4.4 All payment shall be made through ECS/e-payment only and UIDAI shall be at liberty to withhold any of the payment in full or in part subject to Penalty/Deduction as applicable.
- 4.5 Statutory deductions, TDS etc, as applicable shall be made at source from each running/final bill payment. A certificate of TDS shall be issued by UIDAI HQ to the supplier/contractor.
- 5.0 Liquidated Damages: In the event of the Seller's failure to submit the Bonds, Guarantees and Documents, supply the stores/goods and conduct trials, installation of equipment, training, etc as specified in this contract, the Buyer may, at his discretion, withhold any payment until the completion of the contract. The BUYER may also deduct from the SELLER as agreed, liquidated damages to the sum of 0.5% of the contract price of the delayed/undelivered stores/services mentioned above for every week of delay or part of a week, subject to the maximum value of the Liquidated Damages being not higher than 10% of the value of delayed stores.

Technical Bid

1.	Equipment Name	:	VHF Set and Walkie-Talkies alongwith accessories and SITC (Supply, Installation, Testing and Commissioning)
2.	Broad Technical Specifications	:	Description of stores is attached below
3.	Installation & Commissioning	:	UIDAI (HQ), Delhi
4.	Quantity Required	:	VHF Set – 01 No. Walkie-Talkie – 10 No. alongwith accessories and SITC (Supply, Installation, Testing and Commissioning)
5.	Warranty	:	5 Years
5.	End Use	:	For CISF deployed at UIDAI (HQ) New Delhi

Description of Stores

S1. No	Item	Quantity	Specifications
01	1-5W (Programmable / Selectable) RF output Digital VHF Transceiver based on DMR (TDMA) technology, with 7.4V 2000 mAH or more Li-ion Battery pack with spring loaded belt clip, Rugged Flexible Helical Antenna,	10	
	Single unit smart charger, Inbuilt Support GPS & user manual.		
	Alongwith 7.4V 2000 mAH or more Li-ion Battery Packs (20 Nos), Programming Cable and Software for 1/5 Watt radio set, Technical Service Manual for 1/5 Watt radio set, License Key for AES, Leather Carrying Case with belt clip & shoulder strip, Hands free kit VOX Unit with PTT		As per Appendix- " A " & " B "
02	25W (Programmable/ Selectable) RF output Digital VHF Transceiver based on DMR (TDMA) technology with DTMF micro phone, Battery cable, Mounting fixtures, Support GPS & user manual		
	Alongwith 6dB gain Omni directional antenna with 30 meter Low Loss RF cable for base station (01), Programming Cable and Software for 25 Watt radio set, Technical Service Manual for 25 Watt radio set, License Key for AES, Magmount GPS 28db Gain Antenna		

TECHNICAL SPECIFICATIONS OF DIGITAL HAND HELD VHF TRANSCEIVER SET (1/5 WATT)

SI No Parameters Specifications General i) Frequency Range 136-174 MHz (Full Band)	
ii) No. of channel iii) Channel Spacing iii) Channel Spacing iv) Frequency Stability v) Protocol & Technology Type of Emission (Modulation) Ranalog; 11K0F3E Digital;4FSK or equivalent technique complying standard/non proprietary Digital Protocol as defin international standards body like ETSI / FCC etc. vii) Type of Operation Simplex, press to talk viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. x) Power Source Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise 40 dB or better iii) Modulation Limiting ± 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response vi) Rated Audio Distortion Less than 3%	
ii) No. of channel iii) Channel Spacing iii) Channel Spacing iv) Frequency Stability v) Protocol & Technology Type of Emission (Modulation) Type of Emission (Modulation) Analog; 11K0F3E Digital;4FSK or equivalent technique complying standard/non proprietary Digital Protocol as defin international standards body like ETSI / FCC etc. vii) Type of Operation Simplex, press to talk viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. x) Power Source Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise 40 dB or better iii) Modulation Limiting ± 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
Iv) Frequency Stability ± 1.5 PPM or better v) Protocol & Technology Digital TDMA (DMR) Technology Type of Emission (Modulation) Analog; 11kOF3E Digital;4FSK or equivalent technique complying standard/non proprietary Digital Protocol as defininternational standards body like ETSI / FCC etc. vii) Type of Operation Simplex, press to talk viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output 1/5 Watt (Programmable / Selectable) ii) FM Hum / Noise 40 dB or better iii) Modulation Limiting ± 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power -60 db or better v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30 µV for 12 dB SINAD or better Digital: 0.30 µV at 5% BER or better ii) Selectivity (Adjacent Channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion	
Iv) Frequency Stability ± 1.5 PPM or better v) Protocol & Technology Digital TDMA (DMR) Technology Type of Emission (Modulation) Analog; 11kOF3E Digital;4FSK or equivalent technique complying standard/non proprietary Digital Protocol as defininternational standards body like ETSI / FCC etc. vii) Type of Operation Simplex, press to talk viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output 1/5 Watt (Programmable / Selectable) ii) FM Hum / Noise 40 dB or better iii) Modulation Limiting ± 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power -60 db or better v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30 µV for 12 dB SINAD or better Digital: 0.30 µV at 5% BER or better ii) Selectivity (Adjacent Channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion Less than 3% Carter 1,-3 dB vi) Rated Audio Distortion	
v) Protocol & Technology Type of Emission (Modulation) Type of Emission (Modulation) Analog; 11K0F3E Digital;4F8K or equivalent technique complying standard/non proprietary Digital Protocol as defin international standards body like ETSI / FCC etc. vii) Type of Operation Simplex, press to talk viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. x) Power Source Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise iii) Modulation Limiting t 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30 µV for 12 dB SINAD or better Digital: 0.30 µV at 5% BER or better channel) iii) Inter Modulation iv) Audio Output v) Audio Output 500 mW v) Audio Response vi) Rated Audio Distortion Less than 3%	
Type of Emission (Modulation) Analog; 11K0F3E Digital;4FSK or equivalent technique complying standard/non proprietary Digital Protocol as defin international standards body like ETSI / FCC etc. vii) Type of Operation Simplex, press to talk viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. k) Power Source Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise iii) FM Hum / Noise iv) Adjacent Channel Power v) Audio Distortion Tess than 3% Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better channel) iii) Inter Modulation iv) Audio Output v) Audio Response vi) Rated Audio Distortion Less than 3%	
Digital;4FSK or equivalent technique complying standard/non proprietary Digital Protocol as defininternational standards body like ETSI / FCC etc. vii) Type of Operation Simplex, press to talk viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. x) Power Source Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR 2 Transmitter i) R.F Power output 1/5 Watt (Programmable / Selectable) ii) FM Hum / Noise 40 dB or better iii) Modulation Limiting t2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power -60 db or better v) Audio Distortion Less than 3% 3 Receiver i) Sensitivity Analog: 0.30 µV for 12 dB SINAD or better Digital: 0.30 µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
international standards body like ETSI / FCC etc. vii) Type of Operation Simplex, press to talk viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. x) Power Source Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise iii) Modulation Limiting v) Adjacent Channel Power v) Audio Distortion Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iv) Audio Output Source FCC etc. Simplex, press to talk Rugged flexible Helical Antenna Rugged flexible Helica	to open
vii) Type of Operation viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Release than 450 grams with battery. Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise iii) Modulation Limiting iv) Adjacent Channel Power v) Audio Distortion Receiver ii) Sensitivity Analog: 0.30 µV for 12 dB SINAD or better Digital: 0.30 µV at 5% BER or better iii) Selectivity (Adjacent channel) iii) Inter Modulation iv) Audio Output v) Audio Response vi) Rated Audio Distortion Less than 3%	ed by an
viii) Type of Antenna Rugged flexible Helical Antenna ix) Weight Less than 450 grams with battery. Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise iii) Modulation Limiting t 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power v) Audio Distortion Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better bij Selectivity (Adjacent channel) iii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output v) Audio Response v1,-3 dB vi) Rated Audio Distortion Reserver Less than 3% Less than 3% Less than 3%	· ·
ix) Weight X Power Source Lithium-ion battery pack of 2000 mAH or more with clip Xi Protection Reverse polarity protection Protection against high VSWR Transmitter	
x) Power Source Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise iii) Modulation Limiting iv) Adjacent Channel Power v) Audio Distortion Reverse polarity protection Protection against high VSWR 1/5 Watt (Programmable / Selectable) iii) FM Hum / Noise iii) Modulation Limiting iv) Adjacent Channel Power v) Audio Distortion Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iii) Inter Modulation iv) Audio Output v) Audio Response vi) Rated Audio Distortion Less than 3%	
x) Power Source Lithium-ion battery pack of 2000 mAH or more with clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise iii) Modulation Limiting iv) Adjacent Channel Power v) Audio Distortion Reverse polarity protection Protection against high VSWR 1/5 Watt (Programmable / Selectable) iii) FM Hum / Noise iii) Modulation Limiting iv) Adjacent Channel Power v) Audio Distortion Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iii) Inter Modulation iv) Audio Output v) Audio Response vi) Rated Audio Distortion Less than 3%	
clip xi) Protection Reverse polarity protection Protection against high VSWR Transmitter i) R.F Power output ii) FM Hum / Noise iii) Modulation Limiting iv) Adjacent Channel Power v) Audio Distortion Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iv) Audio Output v) Audio Response vi) Rated Audio Distortion Less than 3% Less than 3% Receiver ii) Selectivity (Adjacent channel) iii) Inter Modulation Less than 3% For all protection against high VSWR Analog: Osenter iii) Selectivity Analog: 0.35 kHz Digital: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better Less than 3% Receiver Less than 3% Less than 3%	belt
Protection against high VSWR Transmitter i) R.F Power output 1/5 Watt (Programmable / Selectable) ii) FM Hum / Noise -40 dB or better iii) Modulation Limiting ± 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power -60 db or better v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30 µV for 12 dB SINAD or better Digital: 0.30 µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
Protection against high VSWR Transmitter i) R.F Power output 1/5 Watt (Programmable / Selectable) ii) FM Hum / Noise -40 dB or better iii) Modulation Limiting ± 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power -60 db or better v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30 µV for 12 dB SINAD or better Digital: 0.30 µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
i) R.F Power output ii) RM Hum / Noise iii) FM Hum / Noise iii) Modulation Limiting iv) Adjacent Channel Power v) Audio Distortion 3 Receiver ii) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iv) Audio Output v) Audio Response vi) Rated Audio Distortion 1/5 Watt (Programmable /Selectable) 40 dB or better 60 db or better 60 dB or better 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
ii) FM Hum / Noise iii) Modulation Limiting iv) Adjacent Channel Power v) Audio Distortion 3 Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iv) Audio Output 500 mW v) Audio Response vi) Rated Audio Distortion 40 dB or better 50 dB or better 500 mW v) Audio Response vi) Rated Audio Distortion 40 dB or better 500 mW Less than 3%	
iii) Modulation Limiting ± 2.5 KHz @ 12.5 KHz iv) Adjacent Channel Power -60 db or better v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30μV for 12 dB SINAD or better Digital: 0.30μV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
iv) Adjacent Channel Power v) Audio Distortion Less than 3% Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response vi) Rated Audio Distortion Less than 3%	
v) Audio Distortion Receiver i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iii) Inter Modulation iv) Audio Output v) Audio Response vi) Rated Audio Distortion Less than 3%	
Receiver i) Sensitivity Analog: 0.30μV for 12 dB SINAD or better Digital: 0.30μV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation iii) Inter Modulation iii) Audio Output v) Audio Response vi) Rated Audio Distortion Analog: 0.30μV for 12 dB SINAD or better 60 dB or better 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
i) Sensitivity Analog: 0.30µV for 12 dB SINAD or better Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
Digital: 0.30µV at 5% BER or better ii) Selectivity (Adjacent channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
ii) Selectivity (Adjacent 60 dB or better channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
channel) iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
iii) Inter Modulation 60 dB or better iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
iv) Audio Output 500 mW v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
v) Audio Response +1,-3 dB vi) Rated Audio Distortion Less than 3%	
vi) Rated Audio Distortion Less than 3%	
1/1	
4 Environmental Specification	
i) Operating Temperature -30°C to + 60 °C	
ii) Storage Temperature -40°C to + 70 °C	
iii) Humidity Max. 95% @ +40°C non- condensing	
iv) Environmental standard (i.e) Low & High Temperature, Low pressure, Temperature Shock, As per MIL 810 C, D, E, F Solar Radiation, Rain, Salt Fog, Vibration, Dust & Shock	
v) Dust & Water Intrusion IP 57 or better	

	Accessories	
	i) Battery Charger	Single unit smart charger
	ii) Programming kit	All necessary software and hardware required for programming of the set
	iii) Literature	 i) Users manual with each radio sets should be provided free of cost in soft as well as hard copy. ii) Technical repairing manual with complete block diagram, circuit layout etc should be provided as per users' requirement in soft as well as hard copy.
	iv) Battery	Two extra Lithium -ion batteries with each Radio Set
	Configuration	
	i) Caller ID display	Should be available
	ii) Facility for locking the channel or key pad locking	Should be available
	iii) Scan with priority	Should be available
	iv) Transmitter Time Out Timer (TOT)	The time should be programmed to best suit the application
	v) LCD Display	Should be available
	vi) Mode of calls	Selective Call, Group Call, Inter and Intra Group call facility
	vii) Remote Radio Kill/Stun /Revive facility	Should be available
	viii) Mode of operation	Radio should operate in analog mode and digital mode. (Compatible with existing type of Motorola make DMR VHF sets and Motorola, Icom, Kenwood, Vertex etc make analogue VHF sets)
	ix) Emergency Button	Allows a user to obtain help in critical situations.
	x) SMS Texting	Should be capable of sending pre defined messages & short messages from keypad as Optional.
	xi) Programming	Front panel programming with password protection or PC programming.
	xii) DTMF front panel key pad with back lit	Should be available
	xiii) Battery strength bar	Should be available
	xiv) Support GPS	Inbuilt GPS system with accuracy of less than 10 meters.

TECHNICAL SPECIFICATIONS OF DIGITAL VHF MOBILE/BASE TRANSRECEIVER SET (25 W)

S1 No	Parameters	Specifications
1	General	
	i) Frequency Range	136-174 MHz (Full Band)
	ii) No. of channel	255 or higher
	iii) Channel Spacing	12.5 KHz or better
	iv) Frequency Stability	± 1.5 PPM or better
	v) Protocol & Technology	Digital TDMA (DMR) Technology
	Type of Emission (Modulation)	Analog ; 11K0F3E
		Digital; 4FSK or equivalent technique complying to open standard/non proprietary Digital Protocol as defined by an international standards body like ETSI / FCC etc.
	vii) Type of Operation	Simplex, press to talk
	viii) Weight	Less than 2000 grams.
	xi) Power Source	13.8 Volt DC ± 15%
	x) Protection	Reverse polarity protection
	,	Protection against high VSWR
2	Transmitter	
	i) R.F Power output	25 Watt (Programmable /Selectable)
	ii) FM Hum / Noise	-40 dB or better
	iii) Modulation Limiting	± 2.5 KHz @ 12.5 KHz
	iv) Adjacent Channel Power	-60 db or better
	v) Audio Distortion	Less than 3%
3	Receiver	
	i) Sensitivity	Analog: 0.30μV for 12 dB SINAD or better Digital: 0.30μV at 5% BER or better
	ii) Selectivity (Adjacent channel)	60 dB or better
	iii) Inter Modulation	75 dB or better
	iv) Audio Output	4 W or more
	v) Audio Response	+1,-3 dB
	vi) Rated Audio Distortion	Less than 3%
4	Environmental Specification	
	i) Operating Temperature	-30°C to + 60 °C
	ii) Storage Temperature	-40°C to + 70 °C
	iii) Humidity	Max. 95% @ +40°C non- condensing
	iv)Environmental standard (i.e Low & High Temperature, Low pressure, Temperature Shock	
	Solar Radiation, Rain, Salt Fog	
	Vibration, Dust & Shock v) Dust & Water Intrusion	IP 54 or better
5	Accessories	
	i) Microphone	DTMF Microphone should be supplied with Radio
	Battery cable & Mounting fixtures	Should be supplied with Radio

	iii) Antenna	6dB gain Omni Directional antenna with 60 meter RF Cable for base station should be provided.		
	iv) Programming kit	All necessary programming software and hardware required for the set will be provided as per user's requirement.		
	v) Literature	 i) Users manual with each radio sets should be provided free of cost in soft as well as hard copy. ii) Technical repairing manual with complete block diagram, circuit layout etc should be provided as per users' requirement in soft as well as hard copy. 		
6	Configuration	p = = = = = = = = = = = = = = = = = = =		
	i) Caller ID display	Should be available		
	ii) Busy channel lock out	Should be available		
	iii) Scan with priority	Should be available		
	iv) Transmitter Time Out Timer (TOT)	The time should be programmed to best suit the application		
	v) LCD Display	Should be available		
	vi) Mode of calls	Selective Call, Group Call, Inter and Intra Group call facility		
	vii) Remote Radio Kill / Stun /Revive facility	Should be available		
	viii) Mode of operation	Radio should operate in analog mode and digital mode. (Compatible with existing type of Motorola make DMR VHF sets and Motorola, Icom, Kenwood, Vertex etc make analogue VHF sets)		
	ix) Emergency Button	Allows a user to obtain help in critical situations.		
	x) SMS Texting	Should be capable of sending pre defined messages & short messages from keypad as Optional.		
	xi) Programming	Front panel programming with password protection or PC programming.		
	xii) Support GPS	Inbuilt GPS system with accuracy of less than 10 meters.		

Note:

- 1. OEM of the offered TDMA Digital Radio Sets shall be member of DMR Association. Bidder shall submit DMR membership Certificate along with Bid.
- 2. Two weeks training for operational use and maintenance to be given to CISF officials posted at UIDAI HQ by the successful bidder free of cost at the UIDAI HQ location in two batches as per CISF preferred dates and time.

Financial Bid (Please see BOQ of this tender

(Price not to be mentioned here, this screenshot of BOQ is for reference only)

A	В	С	D	E	F	M	0	Q	BA	BB	BC
Validate	Item Wise BoQ										
Tender Inviti	ng Authority: CEO, UIDAI										
Name of Wor	k: VHF Set and Walkie-Talkies alongwith accessories	and SITC	(Supply, Ins	tallation,	Testing and C	ommissioning)					
	ontract No: D11018/67/2018/01 - UIDAI/HQ										
Name of the Bidderl											
Bidding Firm											
/ Company:											
						SCHEDULE					
(This BOO	template must not be modified/replaced by the bidde	and the c				ARE TO GIVEN II			e liable te be rei	noted for this tond	lor Bidders are allowed to enter the Bidder
(THIS DOG	template must not be mounteureplaced by the bidde	and the se	anie snouiu	be upioau		nd Values only)	iuiiiis, eise	the blader	s liable to be rep	ected for this tend	ier. Didders are allowed to eriter the bidder
NUMBER *	TEXT •	TEXT *	NUMBER	TEXT *	NUMBER	NUMBER *	NUMBER	NUMBER	NUMBER *	NUMBER *	TEXT *
SI.	Item Description	ltem	Quantity	Units	Estimated	BASIC RATE In	GST	Any Other	TOTAL	TOTAL AMOUNT	TOTAL AMOUNT In Words
No.		Code /			Rate	Figures To be	Amount	Taxes	AMOUNT	With Taxes	
		Make			in Rs. P	entered by the Bidder in	in INB	in Rs. P	Without Taxes	col (14) = sum	
					ns. F	Rs. P	Rs. P	ns. F	col (13) = (4) x	(8) to (13)	
									(7)	in	
1	2	3	4	5	6	7	9	11	13	14	15
1	VHF Set and Walkie-Talkies alongwith accessories										
	and SITC (Supply, Installation, Testing and Commissioning), Detail of item, quantity and										
	specification is as per tender document										
	Specification is as per tender document										
1.01	VHF Set alongwith accessories	item1	1.00	No	0.00				0.00	0.00	INR Zero Only
		<u> </u>							_		
1.02	Walkie-Talkie	item2	10.00	Nos	0.00				0.00		INR Zero Only
Total in Figures									0.00	0.00	INR Zero Only
0	- U-J-										
Quoted Rate in Words		INR Zero Only									
		-									

Note: L1 will be decided by the total cost offered for the package (1.01 + 1.02)

CERTIFICATE

1.	I,Son / Daughter / Wife of Sh.
	Proprietor/Director/authorized signatory of the
	agency/Firm, mentioned above, is competent to sign this declaration and execute this tender document;
2.	I have carefully read and understood all the terms and conditions of the tender and undertake to abide by them.
3.	I do hereby certify that none of my relative or any person in blood relation is working in UIDAI.
4.	I do hereby certify that our firm has neither been blacklisted by any of the Govt., Ministries/Departments/PSUs/PSU Banks with which the firm had contracted nor any criminal cases are either contemplated or pending against the firm during the period of last three years.
5.	I do hereby certify that the Indexing of all the documents have been made in a chronological order & all requisite/related documents are attached at page no
6.	The information / documents furnished along with the above application are true and authentic to the best of my knowledge and belief. I / we, am / are well aware of the fact that furnishing of any false information / fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law.
	Signature of authorized person Date: Full Name: Place: Seal:

PERFORMANCE BANK GUARANTEE

(To be stamped in accordance with Stamp Act)
The non-judicial stamp paper should be in the name of issuing Bank

Ref		Ban	k Guarantee
No	••••	Date	
	min), ', UIDAI HQ Building, Gole Market New Delhi-	110001	
Ministry of Electron CEO,UIDAI (hereinal context or meaning the M/s	nics & Information Techafter referred to as the 'Onthereof include its succes	hnology, Government of wner' which expression she sors, administrators and a with its Registe (hereinafter referred to a ne context or meaning ther a Contract by issue to same having been	AI), an Authority under the India, on behalf of the all unless repugnant to the assigns) having awarded to red/Head office at s the "Supplier/contractor" eof, include its successors, of Notification of award acknowledged by the datedvalued
faithful performa	ance of the	entire Contract r	
expression s successors, a pay the amou context, recou on a demand damage caus the said Sup Agreement or Any such dem difference befany Court, Tr	Address of Bank shall, unless repugnant administrators, executors unts due and payable ururse or protest and/or with from the Owner stating sed to or would be caused plier/contractor(s) of any by reason of the Supplier mand made on the Bank stween the Owner and the bunal, Arbitrator or any hall be irrevocable and	Branch) having (hereinafter referred to the context or mea and assigns) do hereby go der this guarantee without any reference to the gothat the amount claimed to or suffered by the Owy of the terms or conditions/contractor(s)' failure to personally be conclusive and bis e Supplier/contractor or a other authority. We agree	its Head office at to as the 'Bank', which aning thereof, include its uarantee and undertake to ut any demur, reservation, Supplier/contractor merely d is due by way of loss or ner by reason of breach by ons contained in the said erform the said Agreement. Inding not withstanding any my dispute pending before that the guarantee herein inforceable till the Owner

1. The Owner shall have the fullest liberty without affecting in any way the liability of the Bank under this guarantee, from time to time to extent the time for performance of the Contract by the Supplier/contractor. The Owner shall have the fullest liberty, without affecting this guarantee, to postpone from time to time the exercise of any powers vested in them or of any right which they might have against the Supplier/contractor, and to exercise the same at any time in any manner, and either to enforce or to forbear to enforce any covenants, contained or

implied, in the Contract between the Owner and the Supplier/contractor or any other course or remedy or security available to the Owner. The Bank shall not be released of its obligations under these presents by any exercise by the Owner of its liberty with reference to the matters aforesaid or any of them or by reason of any other act of omission or commission on the part of the Owner or any other indulgences shown by the Owner or by any other matter or thing whatsoever which under law would, but for this provision have the effect of relieving the Bank.

- 2. The Bank also agrees that the Owner at its option shall be entitled to enforce this Guarantee against the Bank as a principal debtor, in the first instance without proceeding against the
- ne

	Supplier/contractor and not withstanding a in relation to the Supplier/contractor's liabi	iny security or other guarantee the Owner may have lities.			
3.	 This guarantee will not be discharged due to the change in the constitution of the Bank or the Supplier/contractor(s)/Service Provider(s). 				
4.	 Notwithstanding anything contained hereinabove: (1) Our liability under this guarantee is restricted to Rs (in words & figures) being the 5% of the value of the contract/notification of award. (2) This Bank Guarantee will be valid upto; and (3) We are liable to pay the guarantee amount or any part thereof under this Bank Guarantee only upon service of a written claim or demand by you on or before 				
thi	In witness whereof the Bank, through its s2020a	authorized officer, has set its hand and stamp on it			
٧	Vitness				
•	Signature)	(Signature)			
(Name)		(Name)			
(0	Official Address)				
(1	Designation with Bank Stamp)	Attorney as per Power of Attorney No Dated			

Annexure E

Bid Securing Declaration Form

	Date: Bid No.:
To, The Deputy Director General (Admin), Unique Identification Authority of India (UIDAI), 4 th Floor, UIDAI HQ Building, Bangla Sahib Road, New Delhi – 110001	
We, the undersigned, declare that:	
We, M/s(herein referred as bid submission clause no. 2.0, the bid should be supported w bidder must render the declaration:-	,
The Bidder will automatically be suspended/barred from being with the Unique Identification Authority of India (herein referre years, starting on bid submission closing date, if bidder is obligation(s) under the bid conditions:-	ed as Purchaser) for a period of 3
 (a) If a Bidder withdraws the proposal or increases the Proposal and during the period of Bid validity period 	
(b) In case of a successful Bidder, if the Bidder fails to si the Performance Security in accordance with the ter	•
(c) During the Bid process, if a Bidder indulges in unnecessarily delay the process of bid evaluation ar	
The Bidder understands that this declaration shall expire if Biddon receipt of purchaser's notification of the award to another Bi of the Bid; whichever is earlier.	
	(Signature)
Name :	Bidder/Authorized Signatory
Designation :	-
Office Seal :	-
Place :	-
Date :	-

Draft Contract Agreement (To be executed on Rs. 100/- stamp Papers)

(10 20 oxiodatou on 100, otamp i aporo)				
This Agreement is made at New Delhi on the day of 2020 between Deputy Director (Admin), UIDAI, 4 th Floor Aadhaar, Behind Kali Mandir, Bangla Sahib Road, New Delhi-110001 on Behalf of CEO, UIDAI hereinafter called the "UIDAI" of the one part and (Name of Supplier/contractor) (Address of Supplier/contractor) of hereinafter called "the				
Supplier/Contractor" of the other part.				
Whereas the <u>UIDAI</u> is desirous that certain Works should be executed, i.e.				
as described on these bidding documents, hereinafter called "the Works" and has accepted a bid by the <u>Supplier/Contractor</u> for the execution and completion of such works and the remedying of defects therein. NOW THIS AGREEMENT WITNESSETH as follows:				
 In this Agreement words and expression shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to. 				
 2. The following documents shall be deemed to form and be read / construed as part of this Agreement, viz: Bid Information Sheet Bid information and Instructions to Bidders Bid Evaluation /Award of work Term & Conditions of Contract Formats for submission of Bid (Annexure-A to D) 				
3. In consideration of the payments to be made by the <u>UIDAI</u> to the <u>Supplier/contractor</u> as hereinafter mentioned, the <u>Supplier/contractor</u> hereby covenants with the <u>UIDAI</u> to execute and complete the works w.e.f.** to and remedy any defects therein in conformity in all respects with the provisions of the Contract.				
4. The <u>UIDAI</u> hereby covenants to pay the <u>Supplier/contractor</u> in consideration of the execution and completion of the works and the remedying of defects therein, the Contract Price of **Rs stated in the letter of award subject to such additions thereto or deductions there from as may be made under the provisions of the Contract at the times and in the manner prescribed by the Contract.				
5. Jurisdiction of Court: The Courts at Delhi/ New Delhi shall have the exclusive jurisdiction to try all disputes arising out this agreement between the parties.				
IN WITNESS WHEREOF the parties hereto have caused their respective Common Seals to be hereunto affixed / (or have hereunto set their respective hands and seals) the day and year first above written.				
For and on behalf of the Supplier/Contractor For and on behalf of the UIDAI (Headquarter)				
Signature of the authorized official Signature of the authorized official				

Name of the official		Name of the officia	I	
Stamp/Seal of the Supplier/Contractor		Stamp/Seal of the <u>UIDAI</u>		
SIGNED, SEALED AND DELI	VERED			
By the said		By the said		
Name	_on behalf of	Name	on behalf of	
the Supplier/Contractor in the	presence of:	the <u>UIDA</u>	in the presence of:	
Witness	_ W	Witness		
Name	Na	Name		
Address	Ac	ddress		

Note: **Blanks to be filled by the <u>UIDAI</u> at the time of finalization of the Form of Agreement.

TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

[Instead of submitting signed Tender document bidder may submit this tender acceptance letter online]

[Instead of submitting signed Tender document bidder may submit this tender acceptance letter online]				
	Date:			
To,				
Sul	o: Acceptance of Terms & Conditions (Technical and Commercial) of Tender.			
	Tender Reference No:			
Na	ne of Tender / Work:/Item -			
De	ar Sir,			
1.	I have downloaded the tender document(s) for the above mentioned 'Tender/Work' from the web site www.eprocure.gov.in .			
2.	as per your advertisement, given in the above mentioned website(s).			
	I hereby certify that I have read the entire terms and conditions of the tender documents from Page Noto (including all documents like annexure(s), schedule(s), etc .,), which form part of the contract agreement and I shall abide by by the terms / conditions / clauses contained therein.			
4.	The corrigendum(s) issued from time to time by your department/ organisation too have also been taken into consideration, le submitting this acceptance letter.			
	I hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality tirety.			
6.	I do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.			
inc sun	I certify that all information furnished by the our Firm is true & correct and in the event that the information is found to be prect/untrue or found violated, then your department/ organisation shall without giving any notice or reason therefore or marily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the said earnest money deposit absolutely.			

Yours Faithfully,

(Signature of the Bidder, with Official Seal)