S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
1	1	1	3	Expression of Interest (EOI) from Unique	Please confirm that one single Managed Service Provider will be selected to manage the PAN India operations of Central ID Data Repository	The UIDAI reserves the right to appoint more than one MSP during the operations and
2	1	1.2	3	The contract period is for seven years and extendable by three years.	Is the initial contract period of 7 year envisaged to be a lock-in period that both parties agree to commit to?	
3	1	1.2	3	As above	Section 1.2 mentions a contract period of seven years and extendable by three years. Since this is an EoI without any contract conditions, does it relate to the RFP that would come out as a result of EoI process?	subsequent RFP stage, however, the same will be applicable to the selected MSP.
4	2	2.1	5	(%JIDAI+) was established in February, 2009 as an office attached to the Planning Commission, Government of India. The purpose of the UIDAI is to issue a unique identification number (%JID+) to all Indian residents that is robust enough to eliminate duplicate identities, and which can be	Since the legislation on UIDAI is still to be enacted, is the contract envisaged to be signed only after the legislation is in place. Can it be assumed that the Government of India will be the signatory to the contract with the Service Provider even prior to the legislation being enacted? What are the steps that would be taken in the legislation to ensure that the (a) usage of the UID number will be made mandatory (b) the lock-in period of 7 years is not affected by change in policy.	MSP(s) is not linked with the enactment of legislation. Other issues raised in part (a) and (b) of the query are not relevant in the context of this Eol.
5	2	2.1	5	As above	We recognise the legislation giving UIDAI is still to be enacted, can it be clarified as to who would be the contracting entity to sign the contract with the Service Provider.	signed by the authorised officer of UIDAI on

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Respondent	Sought by the	e Prospective	Response of UIDAI to the Clarification Sought
6	2	2.4	5	The UIDAI will start issuing Unique ID based on a partnership model. UIDAI will partner with Central and State Government departments and Public Sector agencies who will act as Registrarsq for UIDAI. Registrars will process UID applications and the demographic and biographic data shall be captured and transmitted to the CIDR. Based on the data received, the CIDR shall perform de-duplication based on the residents biometrics and generate UID numbers.	infrastructure scope of (ii) Would t infrastructure MSP?	in registrar location work of the management	ns would be in the MSP? of end user	locations would not be in scope of work of the MSP. However, the MSP shall have to enable the necessary interface at the registrar
7	3	3.2	6	An EMD of Rs. 2,00,00,000 (Rupees Two crores only) in form of a bank guarantee issued by a Nationalized / Scheduled Bank valid for 60 days beyond the validity period of the EOI, in the pro-forma provided as Annexe - B, should be submitted along with the EOI response. The EMD of the unsuccessful bidders would be returned within one month of issuing of RFP to successful bidders. In case of successful bidders, the bank guarantee would remain in force till RFP evaluation process is complete. Accordingly, the successful bidders may have to extend the EMD till such time.	changes, sud integrate their EMD be return have not withd	ch as a numb proposal at the RF ned to non primes	er of vendors P stage, will the	Respondent only. Therefore, the question of returning the EMD to Non-Prime Respondent

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
8	3	3.3	6	submit the EOI response either alone or in consortium with other partners/agencies. However, the Prime Bidder shall be responsible for the Managed Services that include Design, Supply, Integration, Installation, Commissioning and Maintenance of all the services. The Consortium Member(s) may assist the Prime Bidder in the implementation of the project in the area of their responsibility. However, the Prime Bidder shall be responsible to UIDAI for meeting all the obligations. The Prime Bidder participating with consortium approach shall briefly define the role of each Consortium Member including itself in its EOI Response clearly indicating their scope of work/responsibilities and relationship. However, consortium partnership is allowed on two accounts only. The MSP is allowed to form a	(ii) Does the Service Provider need to necessarily have a consortium arrangement with all OEMs of all products other than those manufactured by Service Provider? (iii) Can the Service Provider have a %ubcontractor arrangement+ as opposed to a %consortium arrangement+ with product vendors other than with the Telecom Service Provider? For eg. if the Service Provider is the OEM for all components other than say the Fraud Detection component then does the Service Provider need to include the OEM of the Fraud Detection component as a consortium member or can the Service Provider procure the same from the OEM and provide the same under a subcontractor arrangement?	
9	3	3.3	6	As above	Kindly explain why MPLS ISP\$ only, and not LL based ISP\$ also.	The Clause remains unchanged.
10	3	3.3	6	As above	Our question on this is that is this Clause applicable for a Telecom Company (NLD/ILD licensed operator) that is bidding in as a Prime Responder.	Respondent.

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
11	3	3.3	6	As above	Request change in clause where Prime Respondent is allowed to form consortium with other SI vendors. This will allow Prime Respondent to: 1. Offer best of talent from multiple sources 2. Hedge its risk 3. Allow Tier2 companies to participate, as it has been encouraged by UIDAI till now Experience of consortium members should also be considered.	
12	3	3.3	6	As above	The clause mentions UIDAI reserves the right to amend consortium related conditions at the RFP stage. Any change/terms of the consortium constructs and scope by UIDAI during the RFP stage can have significant bearing on the overall Proposal/solution. Given this situation, kindly advise if EOI respondent A) has the flexiblity to change the consortium partners based on the RFP scope at a later date prior to RFP submission B) Can EOI be submitted without naming consortium members but respondent provides the necessary track record of having executed similar assignments as per qualification criteria requested in EOI	
13	3	3.3	6	As above	This clause states that prime respondant is allowed to form consortium with two types of consortium members, namely OEMs and Telecom company. Within this category, is it allowed to form consortium with multiple OEMs and Multiple Telecom companies? Also, there are many other smaller components needed (eg. security), is it mandatory to have them as consortium members?	

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
14	3	3.3	6	As above	Under what conditions UIDAI expects a consortium?Can a Consortium member be inducted at the RFPstage?	
15	3	3.3	6	As above	We request you to consider allowing the OEM of Servers and Storage to partner with at least 4 prime respondents (including one bid as a Prime bidder if the OEM of Servers and Storage is itself a System Integrator)	Please refer to Corrigendum I.
16	3	3.3	6	As above	As per our understanding the MPLS network asked as part of the "implementation of high definition video conference solution with telepresense" RFP will be dedicatedly used for video conferencing. MPLS network asked as part of this RFP will be separate and dedicatedly used for DATA. Kindly confirm.	
17	3	3.3	6	As above	At EOI stage the type, configuration, specifications and other details of the server and storage platform is not know to the bidders and also the type of connectivity, number of locations, address of the locations, etc has not been declared, it will be not be possible for bidders to enter into consortium with right partners since the detail specifications are expected at RFP stage. Hence without above information, UIDAI is requested to allow bidders to respond to EOI without consortium details. The same should be allowed at RFP stage.	
18	3	3.3	6	As above	Apart from consortium, can the prime bidder subcontract few of the services (e.g. Data centre, hosting, logistics) mentioned in the scope?	

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
19	3	3.3	6	As above	Can consortium member, being an OEM supplier of servers and other hardware, also provide other services like Data centre build, hosting, logistics services, etc.?	
20	3	3.3	6	As above	a) Is it the intent of UIDAI to make available the UID enrolment and verification services only through a closed network? b) Would providing the connectivity required by registrars and verification agencies in scope of work of the MSP? c) Would the MSP be required to inter-connect all UIDAI offices spread across India? d) Would the provision of broadband connectivity be in scope of MSP? At a high level, the intent of the above mentioned questions is to understand the extent of coverage required for provision of MPLS based VPN and band-width	(b) Details will be provided at the RFP stage. (c) Yes (d) Yes
21	3	3.4		bidders, whose EMD and bid processing fees are in order, shall be opened in the same session. The EoI response bids will then be evaluated. The bidders will be assessed on the prequalification criteria. The bidders should clearly indicate, giving explicit documentary evidence with respect to the criteria, in absence of which, the response would be rejected summarily at pre-qualification stage. The bidders will be assessed on the following	PreQualification criteria". For execution and delivery of projects, the Bidding entity wherever necessary, leverages the experience and expertise available globally with any of entities within the group.	

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
22	3	3.4	7	As above	Section 3.4.2 - 3.4.6, talks about the pre qualification criteria. For a global company to qualify, will UIDAI consider group wise financial no.s and capabilities for qualification. Pls. clarify.	_
23	3	3.4.2	7	annual turnover of INR 6,000 Crore, over last 3 financial years immediately preceding the last	When the estimated project budget is INR 1000 cr., what is the reasoning behind the turnover ask of 6000 crores? This is not as per CVC guidelines. Request you to make it 3000 crores	_
24	3	3.4.2	7	annual turnover of INR 6,000 Crore, over last 3 financial years immediately preceding the last	We would request UIDAI to consider for relaxing the average annual turnover over the last 3 financial years to INR 1000 crores inplace of INR 6000 crores so that many good mid sized companies can participate as prime respondent in this EOI.	23.
25	3	3.4.3	7			
26	3	3.4.3	7	Annual Turnover from Systems Integration & Managed Services of INR 500 Crore, over last 3	We would request UIDAI to relax this criteria to Average Annual Turnover of INR 30 Crores over the last three years so that many good mid sized companies can participate in this EOI as prime respondent.	25.

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
27	3	3.4.4	7	Networth of the prime Bidder should be equal to at least Rs. 4000 Crore or equivalent USD computed as the Networth based on unconsolidated audited annual accounts of any of the last 3 financial years immediately preceding the last date of submission of Response to EOI (2007-08, 2008-09, 2009-10). {Networth = Equity share capital + Reserves . (Revaluation Reserves + Intangible Assets + Miscellaneous expenditures to the extent not written off and carry forward losses)}	unconsolidated accounts	The clause stands deleted. Please also see Corrigendum I for revised pre-qualification conditions.
28	3	3.4.4	7			
29	3	3.4.4	7	equal to at least Rs. 4000 Crore or equivalent USD computed as the Networth based on unconsolidated audited annual accounts of any of the last 3 financial years immediately	We would request UIDAI to consider for relaxing this criteria to atleast INR 500 Crore or equivalent USD as the Networth based on unconsolidated audited annual accounts of any of the last 3 financial years immediately preceding the last date of submission of Response to EOI (2007-08, 2008-09, 2009-10).	27.
30	3	3.4.6	7	least 2 projects of INR 100 Crore or more in gross value with System Integration or Managed Services as a major component of the scope of work in the field of IT Services. International	2. Work in Progress should be considered, along	

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Sought
31	3	3.4.6	7	least 2 projects of INR 100 Crore or more in gross value with System Integration or Managed Services as a major component of the scope of work in the field of IT Services. International	We would request UIDAI to relax this criteria to atleast two projects executed of INR 6 Crores or more in value with System Integration or Managed Services as a component of the scope of work in the field of IT Services so that good mid sized companies can participate in this EOI as prime bidder.	Ç
32	4	4.2.1	9	There can be a number of Data Centres performing the core UID functions. Mainly, UIDAI can have: i. A Primary Data Centre (PDC), a BCP-DR and a near DR Data Centre. Auxiliary data centres performing only verification, can be distributed in many locations where UIDAI Regional offices are located or geographically in other cities in India. ii. The CIDR will have BCP-DR in different seismic zone from the Primary Data Centre. The Data Centre location is subject to change based on UIDAI decisions. The Primary Data Centre and Disaster Recovery are of equal capacity. The MSP will have to take into account the required infrastructure, integration and management services for all these data centres.		Near DR Data Centre is planned to be in close proximity of the Primary Data Centre. The data will be replicated synchronously between Primary Data Centre and the Near DR Data Centre.
33	4	4.2.1	9	As above	Please provide a ballpark number of these auxillary datacentres. Also, if we can get an idea of what would exist in these centres and where these data centres would be located, it would be of help.	Bengaluru and Delhi. Further details will be provided at the RFP stage.
34	4	4.2.1	9	As above	This section mentions taking into account the required infrastructure, integrations and management services for all these data centres . please confirm this is IT services management only, and not facilities management for example	within the scope of work of the MSP.
35	4	4.2.1	9	As above	What kind of infrastucture will be required in Auxiliary data centres?	Details will be provided at the RFP stage.

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
36	4	4.2.1	9	As above	(i) Would setting up of Data centre be in scope	(i) Yes (ii) and (iii) Details will be provided at the RFP stage.
37	4	4.2.1	9	As above	As the scope of work do not cover built part of Data centres, for Auxiliary Data centres shall be built (Non-IT) fresh infrastructure or hosting shall be preferred.	-
38	4	4.2.1	9	As above	As the scope of work do not cover built part of Data centres,for PDC,BCP-DR and Near DR shall be built (Non-IT)fresh infrastructure or hosting shall be preferred.	·
39	4	4.2.1	9	As above	How many data centres will be there totally (including the Auxiliary DCs). Are the Auxiliary DC locations same as the UIDAI RO's?	
40	4	4.2.1	9	As above	Will the DCs be in Build-up mode (meaning UIDAI will provide the space and the MSP has to do the flooring, ceiling, AC, etc. that is traditional DC Buildup) or a DC on a leased/rental model has to be given to UIDAI? Please Clarify	·

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
41	4	4.2.1	9	As above	Has UIDAI formed a strategy for replicating the authenticated data at the Auxilary DC for performing only verifications keeping in mind the requirements of Licensing cost of Biometric s/w developed by BSP and application s/w developed by ASDMSA? Please provide the strategy for replicating, in case it has been formulated.	
42	4	4.2.1	9	As above	Who will propose the DC, DP-DR and near DR data centre locations. Will it be UID or MSP	UIDAI.
43	4	4.2.1	9	As above	What shall be the capacity of Near DR, is it only for storage or it shall be of 100% capacity of PDC?	
44	4	4.2.1	9	As above		PDC and Near DR Data Centre shall not be of equal size. On the other hand, PDC and BCP-DR shall be of equal size. Further details will be provided at RFP stage.
45	4	4.2.1	9	As above	Shall PDC,BCP-DR,Near DR preferably be located below seismic zone-5? If not, then do you suggest to have Data centre seismic complied?	however be noted that it is the responsibility
46	4	4.2.2	9	framework for monitoring all system elements	, and the second	setup in the UIDAI data centre(s) . There will

S. No	Section	Clause	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective	
		No.			Respondent	Sought
47	4	4.2.2	9	As above	Request clarification on 1. Whether respondent should have a Network Operations centre. 2. Whether Bandwidth provisioning a part of this response. 3. Whether supply of Network equipment will be within scope.	(2) Yes, Bandwidth provisioning is within the scope of work of the selected MSP.(3) Yes, supply of Network equipment will be
48	4	4.2.2	9	As above	For NOC and facilities management is remote mangement model acceptable?	Please refer to reply against query at S.No. 46.
49	4	4.2.2	9	As above	Where will be the NOC? Can it be MSP's own NOC or will it be based out of Proposed DC?	Please refer to reply against query at S.No. 46.
50	4	4.2.3	10	As above	Is there an existing System design from which to base the Servers and Storage requirements on, Capacity sizing based on known application attributes, OS, DB Vendor? etc?	
51	4	4.2.3	10	As above	Separate tools will be required for manage and monitor servers and storages. Will this be part of SOW.	
52	4	4.2.3	10	As above	The bidder should be updated prior hand on the anticipated business to cater to Rampup/Rampdown and business continuity as anticipated by UIDAI	
53	4	4.2.3	10	As above	What kind of Server & storage is expected by UIDAI. Kindly provide detailed specifications for each and sizing.	
54	4	4.2.3	10	and Storage in a planned/incremental manner	As equal capacity will be procured at both primary and DR site, does business continuity in this clause means scalability to meet the unexpected performance growth requirement?	operations while ensuring the scalability

S. No	Section	Clause No.	Page No.		Clarification Sought by the Prospective	
55	4	4.2.3	10	The MSP is expected to do the following: 1. Procure the Servers and Storage devices.		
56	4	4.2.4	10	The selected Respondent would be required to ensure the performance of the UID-APP and Biometrics solution jointly with the ASDMSA and the biometrics vendor(s) in <code>%ive+</code> condition at both the sites (Primary Data Centre and BCP-DR).	(or) "live / live failover" ?	Both. Further details will be provided in the RFP.
57	4	4.2.4	10	The selected Respondent would be required to ensure the performance of the UID-APP and Biometrics solution jointly with the ASDMSA and the biometrics vendor(s) in %ive+ condition at both the sites (Primary Data Centre and BCP-DR).		Yes.
58	4	4.2.4	10	The selected Respondent would be required to ensure the performance of the UID-APP and Biometrics solution jointly with the ASDMSA and the biometrics vendor(s) in <code>%ive+</code> condition at both the sites (Primary Data Centre and BCP-DR).		Performance will be monitored as per the SLAs in the MSP contract.
59	4	4.2.4	10	ensure the performance of the UID-APP and Biometrics solution jointly with the ASDMSA and the biometrics vendor(s) in %we+ condition at both the sites (Primary Data Centre and BCP-	The performance of UID-APP and Biometrics Solution will largely depend on the appropriate application sizing of hardware by respective application vendors. Hence request UIDAI to clarify the role of MSP from the application performance SLA's	SLAs in the MSP contract.

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
60	4	4.2.4	10	ensure the performance of the UID-APP and	# roll out of the application at DC/DR under live environment	, ,
61	4	4.2.4	10	ensure the performance of the UID-APP and Biometrics solution jointly with the ASDMSA and the biometrics vendor(s) in % ive+ condition at	Will these vendors and the contracts be taken over by the MSP provider or will they be directly under UIDAI? If they are governed by UIDAI, then the scope of MSP will be limited to Vendor Management? How are we expected to ensure performance if we do not have much control over the sizing they provide?	
62	4	4.2.4	10	ensure the performance of the UID-APP and Biometrics solution jointly with the ASDMSA and	How is the bidder going to ensure the high performance and availability ASDMSA wherein this will be owned by a third party? Are the performance SLA's of the application governed by UIDAI and assured?	SLAs in the MSP contract.
63	4	4.2.5	10	Maintenance, & Support Services are provided by ASDMSA for designing, developing, testing, integrating, supporting and maintaining quality UID Application (UID-APP) software. The nature	(ii) How will the SLA's and contract be managed, wherein the bidder is responsible for end to end SLA's, though the bidder doesnot	(ii) Please refer to reply against query at S. No 62

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
64	4	4.2.5	10	Maintenance, & Support Services are provided by ASDMSA for designing, developing, testing, integrating, supporting and maintaining quality UID Application (UID-APP) software. The nature of this relationship between the MSP and	(ii) Only co-ordination with ASDMSA is in scope? (iii) If collaborative application development is envisaged, what application modules are	(iii) Details will be provided in the MSP RFP
65	4	4.2.5	10	Application Software Development, Maintenance, & Support Services are provided by ASDMSA for designing, developing, testing, integrating, supporting and maintaining quality UID Application (UID-APP) software. The nature of this relationship between the MSP and ASDMSA should be based on a collaborative application development model principled on quality and trust.		Details will be provided at the RFP stage.
66	4	4.2.5	10	1	development model. Is it pure Application development? OR, is it Application operations? Or, is it Application release management?	

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
67	4	4.2.5	10		What is the role of MSP in ASDMSA - # roll out of the application at DC/DR under live environment # scaling up # provide service as per SLA # provide h/w & other infra for the application	Details will be provided at the RFP stage.
68	4	4.2.5	10			
69	4	4.2.6	10	Technical Support: The MSP needs to ensure technical support in all forms to have the new applications installed and the current ones running, thereby facilitating smooth enrolment and verification process.		Query is not clear.

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol		Response of UIDAI to the Clarification Sought
70	4	4.2.6	10	technical support in all forms to have the new applications installed and the current ones		
71	4	4.2.6	10	Technical Support: The MSP needs to ensure technical support in all forms to have the new applications installed and the current ones running, thereby facilitating smooth enrolment and verification process.	(ii) Need to define the scope of Applications Support.	(iii) Suggestion is noted
72	4	4.2.6	10	technical support in all forms to have the new applications installed and the current ones running, thereby facilitating smooth enrolment and verification process.		of which, will be provided at the RFP stage.
73	4	4.2.6	10	Technical Support: The MSP needs to ensure technical support in all forms to have the new applications installed and the current ones running, thereby facilitating smooth enrolment and verification process.		The issue raised is not relevant to the Eol.

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
74	4	4.2.6	10	needs to ensure technical support in all forms to have the new applications installed and the current ones running, thereby facilitating smooth	In section 4.2.6, it is mentioned that the respondent (implying MSP) would be required to provide the required technical support and in Section 4.3, it is mentioned that technical support centre will be a service provider who has already come on board or will come on board shortly. In this context, please clarify what this technical support to be provided by MSP and technical support centre to be provided by external agency refer to	stands deleted. Further details on technical support will be provided at the RFP stage.
75	4	4.2.7	10			(ii) ASDMSA is liable to UIDAI only. (iii) No.
76	4	4.2.7	10	The MSP needs to bring effectiveness in reducing incidence of fraud and enhanced loss control. The cycle time in identifying and enabling timely corrective action on frauds needs would be required to be reduced.		Not relevant at the EoI stage. However Govt of India IT security guidelines and UIDAI Information Security Policies will apply.
77	4	4.2.7	10	The MSP needs to bring effectiveness in reducing incidence of fraud and enhanced loss control. The cycle time in identifying and enabling timely corrective action on frauds needs would be required to be reduced.	•	Yes
78	4	4.2.8	10	The Business Intelligence and Data Warehousing would need to be developed by MSP with the tools to extract, transform and load, to ensure complete reporting and analysis.		Should be state-of-art tools with field proven technology.

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
79	4	4.2.8	10	Warehousing would need to be developed by MSP with the tools to extract, transform and	Decision Support Systems/Data Warehouse.	(i) No (ii) Such information/reports etc will be for the use of UIDAI and/or its authorised/ nominated agencies.
80	4	4.2.8	10	The Business Intelligence and Data Warehousing would need to be developed by MSP with the tools to extract, transform and load, to ensure complete reporting and analysis.	requirements.	(i) & (ii) This will be indicated at the RFP stage. (iii) Should be state-of-art tools with field proven technology.
81	4	4.2.8	10		Please elaborate on the "reporting and analysis" requirements that the Respondent need to develop with BI/DW tools?	
82	4	4.2.9	10	The ‰ogistics Network+ is the ‰ID letter dispatch centre+. This network provides the ability to print the voluminous UID letters. The logistics centre maybe housed at the third party offices / regional office or head office.	(i) Assume that this is an infrastructure and integration requirement;	(i) Yes. (ii) No. Initially, India Post will be responsible for the physical dispatching.
83	4	4.2.9	10	The ‰ogistics Network+ is the ‰ID letter dispatch centre+. This network provides the ability to print the voluminous UID letters. The logistics centre maybe housed at the third party offices / regional office or head office.	,	(ii) Details will be provided at the RFP Stage (iii) The point made is noted and will be addressed at the RFP stage.
84	4	4.3.2	11	Biometric Solutions Provider (BSP)	Please share details of the service providers	The query is not relavant to the clause.

S. No		Clause No.	Page No.	Existing Clause in the Eol		Response of UIDAI to the Clarification Sought
85	4	4.3.3	11		Will the data centre service provider build the data centre? Will they also build the auxillary ones as well?	
86	4	4.3.3	11	Service Providers already on board or to come on board shortly: Data Centre Service Provider (PDC / BCP-DR)		(i) Yes, at DCSP's premises.(ii) Tier III compliant.
87	4	4.3.3	11		PDC/BCP-DR service provider will be on-board or will come on board shortly but in 5.2 Services also include some of the services (such as 5.2.1, 5.2.9) that may overlap. Does the respondent work with PDC/BCP-DR provider collaboratively or own these services completely?	PDC/BCP-DR provider, wherever required.
88	4	4.3.4	11	Service Providers already on board to come on board shortly:Technical Support Centre	What scope would be covered under this and who are the target users?	Details will be provided at the RFP Stage.
89	4	4.3.4	11	Service Providers already on board to come on board shortly: Technical Support centre	Request clarification on the scope of services that will be provided by the Technical Support centre	
90	4	4.3.5	11	Service Providers already on board to come on board shortly: Logistics Provider	Request clarification on the scope of services that will be provided by the Logistics Provider	Details will be provided at the RFP Stage.
91	5	5.1	12	Overview of Scope of Work	For the various components shown in the chart as per our understanding, some of these components must have been procured as part of other RFP's. Is bidder expected to do management of these components or is bidder expected to fill the gaps and provide the tools also (like EMS tools ,etc) . If yes, detailed information about the current components and components that will come as part of future RPF's will be required so that issues of compatibility, integration , etc can be addressed . Kindly confirm and elaborate	

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
92	5	5.2	12	MSP Services - Clause 5.2.6 - Testing and Benchmarking	Is this functional or non-functional testing. Pls elaborate.	stage
93	5	5.2	12	MSP Services	Please confirm whether UIDAI expect the selected MSP to Design, Develop, and Implement the CIDR based on the functional and technical requirements of the CIDR? If so kindly share the technical & functional requirements for CIDR.	·
94	5	5.2	12	MSP Services - Clause 5.2.6 - Testing and Benchmarking	Pls elaborate on benchmarking.	Details will be provided at the RFP Stage.
95	5	5.2.1	12	Design, Development, and Implementation of the CIDR based on the functional and technical requirements of the CIDR	Pls explain on design of CIDR. Designing will be done by us to what extent.	Details will be provided at the RFP Stage.
96	5	5.2.3	12	Migration of the IT infrastructure from the interim co-location facilities to the permanent CIDR facilities	•	(i) Yes. (ii) at Bengaluru
97	5	5.2.3	12	Migration of the IT infrastructure from the interim co-location facilities to the permanent CIDR facilities	Permanent IT Infrastructure Location	As at present, the IT Infrastructure relating to CIDR are hosted at Bengaluru. In future, the permanent IT Infrastructure is proposed to be located in NCR and Bengaluru.
98	5	5.2.5	12		(i) Whether the mentioned contracts are the same as ASDMSA and other Infrastructure OEMS's and service providers? (ii) Will UIDAI publish the running contracts and their T&C to the bidders for understanding of scope? (iii) Are the respondent expected to consider end to end ownership/SLA for these services including ASDMSA, OEM and other service providers. (Refer 5.3.8 also as this clause needs to be satisfied)	(ii) Details would be provided at thr RFP stage.(iii) Yes, as per the SLAs in the MSP contract.

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
99	5	5.2.5	12	Clause 5.2.5 Monitoring & Evaluation of current UIDAI contracts with respect to supply of deliverables for Biometrics, Applications, Logistics, as enumerated in Section 4.2 and Clause 5.2.11 End-to-end Logistics management of UID numbers	, ·	Some of the main activities in logistics include first and last mile activities for collection of enrolment data, print, mail room operations including despatch and tracking of postal articles, etc. More details will be shared at RFP stage.
100	5	5.2.6	12	Testing and Benchmarking	(i) Is the current UID Application benchmarked? (ii) If so, can the benchmark report be shared?	(i) No (ii) In view of above, Not applicable.
101	5	5.2.10	13	Technical Helpdesk and facilitation centres and support services	How many of these are planned to be set up?	This will be decided by UIDAI in consultation with selected MSP based on support services requirements.
102	5	5.2.10	13	Technical Helpdesk and facilitation centres and support services	What services are expected to be provided by this Helpdesk and who are the target users?	Details will be provided at the RFP Stage.
103	5	5.2.11	13	and operates an All-India MPLS based Virtual Private Network for providing network services	1	

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
104	5	5.2.11	13	End-to-end Logistics Management	(Will the logistics provider also be part of MSP scope? In that case do we need to bring them as a consortium partner? If not in scope, then what kind of obligations/contracts will the logistics provider be bound with to ensure end-to-end logistics control?) OR (What will be scope boundry for MSP as far as Logistics activities are concerned? We understanding from Section 4.2.9 that priniting and dispatching of letters is in scope, but post-despatch activities such as actual transportation of letters and acknowledgement from end user is part of MSP scope?)	refer to Corrigendum I.
105	5	5.2.11	13	End-to-end Logistics Management of UID numbers	Logistics: Assume the logistics element for managing the UID numbers is from a Managed Services and IT perspective, not the physical dispatch and logistics operation (BPO)?	Corrigendum I.
106	5	5.2.14	13	IT Systems management of UIDAI regional offices	IT Systems management of UIDAI regional offices - Is this only remote monitoring from CIDR central office, or onsite support as well?	
107	5	5.3	13	Scope of Work	We have found several sections (5.3.1, 5.3.2, 5.3.3, 5.3.4, 5.3.6 & 5.3.7) in the Scope of Work (part-5) of the EOI that require specific responses by the bidder but are not covered in the Response Forms (Annexure 6.1, 6.2, 6.3 and 6.4) We are assuming we can provide the information asked in Part-5 of the EoI in a separate document in addition to the Annexures that are part of the response. Please clarify?	provided against each section should be restricted to 10 pages.
108	5	5.3.1	13	Scaling plan	It is suggested that UIDAI share the year-wise plan for achieving the scale given?	Details will be provided at the RFP stage.

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
109	5	5.3.1	13	Scaling Plan	Pls explain more on scaling up. We assume this has to be responded in RFP.	·
110	5	5.3.1	13	Scaling Plan: 5.3.1.1 Modeling, Framework and Methodology for Scaling 5.3.1.1.1 Forecasting for scaling up/down 5.3.1.1.2 Decision making process 5.3.1.1.3 Implementation of scaling plan	We request UIDAI to kindly specify period against each scaling plan	Details will be provided at the RFP stage.
111	5	5.3.1	13		Shall we consider rate of growth (YOY) of Data centre over the period 7 years as per 5.3.1 scaling plan.	
112	5	5.3.2	13	It should also be noted that UIDAI reserves the right to amend the consortium related conditions at the RFP stage.	What is the proposed governance for all the suppliers?	Details will be provided at the RFP stage.
113	5	5.3.3	14	Service Level Agreements	It will be good if high level view of SLA's that will be applied on MSP is provided during EOI stage	Not Accepted.
114	5	5.3.3	14	Service Level Agreements	What will be the back to back SLA commitments with the service providers like BSP / ASDMSA to ensure architecture robustness, proper sizing and technology capability for expected performance and accuracy? Clarity is sought at least at a high level on the scope of work assigned to MSP	, C
115	5	5.3.4	14	Transition Plan	Which liabilities will get transferred?	Contractual liabilities will be provided at the RFP Stage.
116	5	5.3.4	14	Transition Plan	Why is transfer of software licenses necessary? MSP will provide services in an outsourced model	Query is not relevant to the clause.

S. No		Clause No.	Page No.	9	Clarification Respondent	Sought	by the	Prospective	Response of UIDAI to the Clarification Sought
117		5.3.4		Transition Plan: According to the structure given below, detail the proposed transition methodology and processes that you would adopt for successful transition of each of the following to reach the desired goals: 5.3.4.1 Technical Aspects of Transition 5.3.4.1.1 Transition of Data Centre 5.3.4.1.2 Transition of Biometric Solutions 5.3.4.1.3 Transition of UID-APP 5.3.4.1.4 Transition of Managed Services 5.3.4.1.5 Transition of hardware assets and connectivity (ISP) 5.3.4.1.6 Transition of logistics 5.3.4.1.7 Transition of Technical Support Centre 5.3.4.1.8 Transition for BCP-DR 5.3.4.2 Non-Technical Aspects Transition 5.3.4.2.1 Transition of Contracts 5.3.4.2 (Termination/takeover/replacement/extension) 5.3.4.2.2 Transition of SLA 5.3.4.2.3 Transition of Staff 5.3.4.2.4 Transition of Liabilities	plan				period as part of their proposed transition methodology and processes that they would adopt for successful transition of each of the aspects stated under Clause 5.3.4.1 and 5.3.4.2 to reach the desired goals.
118	5	5.3.4	14	Transition Plan	What is UIDA smooth transiti provider?				Please refer to reply at S.No. 117 .

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
119	5	5.3.4	14	Clause 5.3.4.1 - Technical Aspects of Transition	(i) It will be good if clarity could be provided on whether MSP will necessarily have to transition the ASDSMA, Bio-metric and other applications there may be down the line if not immediately. Clarity on scope of work would come. (ii) At a strategic level, is it envisaged that MSP will be one single player managing the entire UID infrastructure including various hardware and software components.	aspects stated under Clause 5.3.4.1 and 5.3.4.2 to reach the desired goals. Further details will be provided at the RFP stage. (ii) Please refer to reply against query at S.No. 1.
120	5	5.3.4.2.2	14		For existing contracted SLAs . is it the UIDAI expectation that the MSP would inherit these, and would there be any MSP commercial liability to those existing SLAs?	respective providers to ensure the SLA,
121	5	5.3.4.2.3	14	Clause 5.3.4.2.3 - Transition of Staff	Can you advise how many operational support staff, the roles and their responsibilities are within the current projected SOW that may require Transition	aspect.
122	5	5.3.4.2.5	14	Clause 5.3.4.2.5 - Transition of Liabilities	Can you please explain what liabilities are expected to be transitioned outside of standard Service Performance Credits	
123	5	5.3.4.2.5	14	Clause 5.3.4.2.5 - Transition of Liabilities	Please explain transition of liabilities, and what all liabilities will be considered.	Contractual liabilities will be provided at the RFP Stage.
124	5	5.3.5	14		Are there any deviations in the implementation to the ASDSMA Enrollment Client requirements in the respective RFP that the responder need to take care of/enhance?	
125	5	5.3.5	14	Clause 5.3.5.3 - Monitoring vulnerabilities and failed attempts to access	Is this internal or external tests.	Both. Details will be provided at the RFP stage

S. No		Clause	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective	
		No.			Respondent	Sought
126	5	5.3.5	14		Since the Applications are provided by different vendors whom MSP does not have direct control on, who will ensure compatibility of a certain patch with the application and whether it should be applied or not?	Assurance (QA) of these applications. Details will be provided at the RFP stage.
127	5	5.3.5	14			
128	5	5.3.5	14		What is expected level of compliance required	Tier III compliant.
					on Data centre Classification.	·

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
129	5	5.3.5	14	Clause 5.3.5.2 - Maintaining Access list for network, servers and storage	Will we manage network also? If not, how will we access network elements.	Yes
130	5	5.3.6	14	Vendor and Technical Management		That clause stands modified to read as under: "The MSP would be required to monitor performance and communicate constantly with the various vendors. Also, the selected MSP needs to manage and steer the technical team. The MSP need to share the strategy they envisage for Vendor and Technical Team Management."
131	5	5.3.8	15	Third Party Audit	Please explain what measurements and KPIss that UIDAI are considering within the Third Party Audit scenario.	
132	5	5.3.9	15	Design Principles and Solution Architecture	Can we have more visibility of various modules of ASDMSA Application and its integration/workflows with external systems such as Verification System, Enrollment System, Deduplication system etc. How end to end handling of business process is mapped into this application?	II & III) in Tenders section of the UIDAI website.
133	5	5.3.9	15	Information Technology (IT) CIDR system that can cater to the unique and large scale requirements of UIDAI. Accordingly, Prospective Bidders are requested to provide the elemental design principles and architecture for instance,	We request UIDAI to provide bidder more flexibility to choose platform and hardware type for the proposed architeture. For example blade / non blade based architecture and grid based storage architecture. We propose that the Hardware platform that will performs best from the application point of view would be allowed.	

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol		Response of UIDAI to the Clarification Sought
134	5	5.3.9	15	Design Principles and Solution Architecture	What is online update model?	Model has to be suggested by the prospective Respondent as stated in Clause 5.3.9
135		Annexure 6.1	16	Points a and m;	Consortium partner should not be decided in EOI stage. We would be able to decide only based on complete SOW which will be at the RFP stage. This is because the platform has to be completely vendor agonistic and not partner strategy driven. So, we will not provide any details consortium asked at this stage.	Annexure 6.1
136		Annexure 6.1	16	turnover of Rs. 6000 Crore, over a period of last 3 financial years (2007-08, 2008-09, 2009-10). Duly certified statement from their Appointed	a) As financial information for IBM for 2009-10 would be available in september 2010 so we request UIDAI to consider the financial information for 2006-07,2007-08 and 2008-09. b) We request UIDAI to also consider allowing either the Documents be duly certified from authorized signatory / company secretary or any other auditor / CA.	Annexure 6.1
137		Annexure 6.1	16		Can the bidder provide a certification from MD/CEO/CFO of the bidding entity in lieu of certification from Statutory auditors	
138		Annexure 6.1	16	Point a	Kindly elaborate the definition of Prime Respondentq . we assume the Prime Respondent includes the Parent Company and all its affiliates and Subsidiaries.	Annexure 6.1
139	6	Annexure 6.1	16	experience of providing Managed Services in		Annexure 6.1

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
140	6	Annexure 6.1	16	prequalification criteria point n S.No. 1	What are the logistical items . these were supposed to be provided by the Contact centre Services provider	,
141	6	Annexure 6.1	16	prequalification criteria point n S.No. 2.	Please confirm whether the Annual Report will satisfy this clause as the Annual report itself is a published document certified by Statutory Auditors containing company financial details.	Annexure 6.1
142	6	Annexure 6.1	16	statutory auditor ,Enterprise wide System Integration experience of providing Managed Services in multi vendor environment operating	The Auditor would be able to certify that the most of Service Lines exist for the organisations. The annual report which is a auditor certified report of our company and we meet the required criteria, request to confirm if this proof will suffice.	Annexure 6.1
143	6	Annexure 6.1	16		In our organisation the HR can certify this, we will request HR certificate to be accepted with the relevant details	
144	6	Annexure 6.1	16	Whether the Firm / Company has any widely accepted certification. If yes, furnish details.	We understand that CMMI & ISO27001 are the key accepted certifications for SI & managed services business for IT companies. Please confirm it will be sufficient to provide the proof for the same.	ISO27001 are acceptable for this EoI stage.
145	6	Annexure 6.1	16	pts n.2, n.3	PAT of minimum 10% should be part of eligibility criteria. This will ensure hygienic business of the service provider.	•
146	6	Annexure 6.1	16	Point n S. No. 1, 3 and 4	One of the prospective respondent has stated that their Company Secretary signs the documentary evidences for prequalification criteria 1, 3 & 4. Is it acceptable?	Annexure 6.1

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
147		Annexure 6.1	17	- Proof of Prime Bidders as networth being equal	Keeping in view of large Indian companies, there may be very few organizations which would qualify for the same. This also translates to approximately the turnover of around Rs. 20,000 Crore (assuming the margin of 20%). Such a condition will restrain excellent Indian origin IT organization to participate. We request you to change the same to minimum Rs. 1000 Crores.	Annexure 6.1
148	6	Annexure 6.1	17	during the last 3 financial years (2007-08, 2008- 09, 2009-10) from System Integration and Managed Services related operations. Duly	their case, financial information for 2009-10 would be available in september 2010. Hence requested UIDAI to consider the financial	(ii) Please refer to Revised Annexure 6.1 in Corrigendum I. (iii) Not Accepted.

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
149		Annexure 6.1	17	being equal to at least Rs. 4000 /-Crore or equivalent USD computed as the Networth based on unconsolidated audited annual accounts of any of the last 3 financial years (2007-08, 2008-09, 2009-10) {Networth = Equity share capital + Reserves - Miscellaneous expenditures to the extent not written off and carry forward losses}. Duly	 (i) A prospective Respondent has stated that, they are a 100% subsidiary of their parent Corporation and therefore Networth of their parent Corporation should be considered for the evaluation of the EOI. (ii) As financial information for their corporation for 2009-10 would be available in september 2010, they have requested UIDAI to consider the financial information for 2006-07,2007-08 and 2008-09. (iii) We request UIDAI to also consider allowing either the Documents be duly certified from authorized signatory / company secretary or any other auditor / CA. 	6.1 in Corrigendum I.
150		Annexure 6.1	17	Point n S. No. 5	Prequalification criteria 5 - What does :proof of provision of Managed services and infrastructure management services" means? Can you elaborate your understanding?	Managed Services and / or infrastructure
151		Annexure 6.1	17	Point n S. No. 7	Prequalification criteria 7 - Should the project gross value of Rs. 100cr be for one year or Can it be Total Contract Value?	
152	-	Annexure 6.1	17	Point n S. No. 8	Prequalification criteria 8 - Can we consider a project which is under implementation stage or ongoing for more than 2 years?	
153		Annexure 6.1	17	strength of minimum 4,000 people of which		Corrigendum I.

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
154		Annexure 6.1	17		either the Documents be duly certified from authorized signatory / company secretary or any other auditor / CA.	Corrigendum I.
155	6	Annexure 6.1	17	General particular Point n sl. No. 7, 8 and Annexure 6.2 Technical Particulars	Where most of the requirements are pertaining to the Prime bidder be the MSP company. We request if these are applied to the whole consortium rather than the prime bidder alone That means that in place of prime bidder, the consortium as group to demonstrate the capability.	Corrigendum I.
156		Annexure 6.1	17	turnover of Rs. 500 Crore in each year during the last 3 financial years (2007-08, 2008-09,	given the fact that the revenue for MSP accrued over a period of time and many of the contracts would be confidential. Since the Statutory Certificate from Auditor is available is the work	Corrigendum I. (ii) Yes.

S. No		Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
157	6	Annexure 6.1	17	prequalification criteria point n S.No. 3.	As we are submitting the duly certified statement from the Statutory Auditor on minimum average annual turnover for last 3 FY from System Integration and Managed Services related operations. (i) Question: are purchase/work orders reqd over above the statutory auditorqcertificate? For 500 crs, it may take a lot of WO/POs. we may have to get approvals from too many customeros. Requesting UADAI to drop this reqmt.	Please refer to Revised Annexure 6.1 in Corrigendum I.
158	6	Annexure 6.1	17	prequalification criteria point n S.No. 5 & 6	Please confirm whether a self certificate from Power of Attorney or from Business Head of Indian Operation will suffice instead of certification from MD/ CEO of the company.	
159	6	Annexure 6.1	17	Pre- Qualification Criteria 7 - should have executed at least 2 projects	Can a project under execution also be considered as part of criteria since typically Managed services runs for multi years	
160	6	Annexure 6.1	17		In our organisation the HR can certify this, we will request HR certificate to be accepted with the relevant details.	
161		Annexure 6.1	17		we understand on going Managed services engagements (since it is a multi year engagement) which are more than 2 years into the contract will qualify for this requirement, please confirm.	Corrigendum I.
162	6	Annexure 6.2	18	near to UIDAI	As UID is one of first initiatives across the Globe, the "Near to UIDAI" should mean a traditional IT application and infrastruture services and the same we provide to our Enterprise customers. We request our assumption is correct	·

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
163		Annexure 6.2	18	Explainpast 5 years& cosideration crietriaduring last three years	Consideration criteria requires last three years of expereince and the explanation mentions past 5 years. Please confirm if past 3 years expereince will suffice.	
164	6	Annexure 6.2	18	consideration criteria	Similar requirements should mean a traditional IT application and infrastruture services which we provide to our Enterprise customers. We request our assumption is correct	Assumption is correct
165	6	Annexure 6.2	18	(1) transitioning-in and transitioning-out	Many examples of the Transitioning out is difficult, is it sufficient to consider expereince of Transitioning In only?	No.
166	6	Annexure 6.2	18	(1) policies underlying transition;	Please give details on the expectation of the statement "policies underlying transition".	Annexure 6.2 (1) Consideration Criteria is self explanatory.
167	6	Annexure 6.2	18			Services provided, but not limited to, for the management of IT Enabled products / services in general and in the fields of Application, Hardware, Networking, Data centre Operations, Hosting in particular and preferably in the field of Biometrics Application.
168		Annexure 6.2	18	Annexure 6.2 (2) - How has your organization used technology to support MSP services delivered?	Please explain point 2	Annexure 6.2 (2) - 'Consideration criteria' elaborates the expected response.
169	6	Annexure 6.2	19	Annexure 6.2 (4) - Regulatory framework	Please elaborate a little bit further on the expected response in providing the description of the regulatory framework governing the administration of services.	elaborates the expected response.
170	6	Annexure 6.2	20		If Data centre Non-IT infrastructure built is preferred then shall it be green field project.shall it be in scope of work?	

S. No		Clause No.	Page No.		Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
171	6	Annexure 6.3	22	Clause 6.1.6 - Bid security (EMD)	Please Confirm that the subsequent Tender terms have limitation of liability and is excluding indirect consequential and punitive	
172		Annexure 6.4	23	the subsequent tender process after having been short listed in accordance of the EOI Document;		the serious respondents.
173				General	As the SLA is not clear at this moment,for Data centre Non-IT part, the minimum availability %(percentage)shall be suggested or to be worked out on overall SLA requirements.	
174					Asset management, Business service management, Application transfer management seem to be missing. Who will carry out these activities?	
175					Can a copy of the UIDAIs standard Contract Terms and Conditions be made available prior to submission date	
176				General	Can UIDAI share the proposed technical environment?	No. Details will be provided at the RFP stage.
177					Do all services need to be performed onsite, or we can perform some remotely also. If yes, which activities.	
178					Do you need all managed services to be provided %ansite+ or can the vendor provide services in an %ansite+/ %affsite+model?	

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
179				General Question	Does the MSP have the authority to derive the right SLAs from these identified vendors?	Wherever required / considered necessary, selected MSP shall have to assist the UIDAI in formulating appropriate SLAs with the identified vendors.
180				General Question	Does the scope of MSP includes selection of service providers like ISP, Network Equipments, OEMs etc?	
181				General Question	For the areas where it is mentioned service providers have been identified, could you please name them and how UID will enable the shortlisted MSP Vendor to work with these identified providers?	stage.
182				General	If Data centre hosting is preferred then what shall be the selection criterion of Data centre locations.	
183					If DC Built is in scope, is there any benchmark on efficiency of Data centre Non-IT infrastructure.	DC built is not in the scope of MSP. Data Centre would be built by UIDAI appointed agency. The Data Centre operations relating to IT Systems and IT Services would be the responsibility of the Managed Service Provider.
184					Is sub-contracting permitted beyond the Consortium model?	Please refer to Corrigendum I.
185				General Question	Is the DC location pre-decided? If yes, can you share the # and location of these Data centres, and approximate size per data centre?	

S. No	 Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
186				It is indicated that the Prime Respondent may form a Consortium but the Consortium Members are resticted to 1) OEMs and 2) Telcos. Our postion to date on a such a large project like the MSP is to parther with an Indian SI (who will be the lead respondent) in a consortium or subcontract agreement. This will enable UIDAI to benefit from the mix of Indian / international experience and price points to ensure maximum leverage to UIDAI. In other words the lead respondent continues to be a SI but haing the flexibility of partnering with one or more specialist (e.g., biometrics) SI companies (you may limit this number) so that UIDAI has the best SI mix. Other consortium members continue to be OEMs or Telcos as indicated and as required. We are in discussion with leading Indian SI on this engagement model. Role of ABIS in MSP. It is understood that the BSP infrastructure will be transistioned to the MSP. Can one assume that the BSP provider of the ABIS component of the BSP will continue to provide de-duplication services to the MSP beyond the 2 years BSP contractual end date on separately negotiated terms?	conditions. Further details will be provided at the RFP Stage.
187				It is not clear from the document whether incorporated / registered consortium is required. Pls clarify	Please refer to Corrigendum I.
188				Query optimization will be under whose scope.	Query is not relevant at this stage.
189			General	Shall O&M of each data centre Non-It infrastructure be considered for non-built DC(Hosted DC)	, ,

S. No	Section	Clause No.	Page No.	Existing Clause in the Eol	Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
190					We request UIDAI to include following clauses in subsequent Contract to be executed between the parties:	
					LIMITATION OF LIABILITY FORCE MAJEURE RISK OF LOSS/TITLE TRANSFER PAYMENT TAXATION WARRANTY AND EXCLUSIONS INTELLECTUAL PROPERTY RIGHTS CONFIDENTIALITY TERMINATION	
191					What are the timelines for the transition and cut- over phase?	Please refer to reply against query at S.No. 117
192				General Question	What is expected out of the MSP as part of the identified 8 areas . will it be more like a vendor management or will it involve the MSP being a single point of service delivery while it has the ability or authority to choose the right services partner?	Query is not clear on the 8 areas referred in the query.
193				General Question	What is the expected support hours coverage?	The query is not relevant in the context of this Eol.
194				General	What shall be the model of meeting Operating expenses of Data centre Non-IT part in terms of energy cost, as cost of energy varies in all locations. Shall it be remitted at actuals or average cost shall be worked out.	Eol.
195				General Question	What will be the # of release or maintenance schedules in a given year with respect to technical support model	
196				General Question	What will be the method of sharing the inputs for scaling, and what lead times are normally envisaged?	
197				General Question	What will be the size of the initial setup - # of users/ID, # of DCs, # of vendors?	Query is not clear. However, the details of existing set up will be shared at the RFP stage.

S. No	Clause No.	Page No.		Clarification Sought by the Prospective Respondent	Response of UIDAI to the Clarification Sought
198			·	Will procurement, installation, design of bandwidth for WAN, LAN, networking equipment like (switch, router, etc). security network infrastructure like (Firewall, ips, ids,etc) and LAN cabling be part of this RFP. If yes, which all locations will be covered in the scope?	locations will be spelt out at the RFP stage.
199				Will the scope (as defined in the EOI) related to CIDR (PDB and BDC) or shall it include all the enrollment centres, logistics providers as well?	Regional Offices. Changes, if any, would be
200			General Question	Will there be multi-environments for Production and Pre/Non-Production? If yes, will this be part of the MSP scope?	I
201			General Question	Will UID be open to offering services from Remote facilities?	No